

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS F O Box 1450 Alexandria, Virginia 22313-1450 www.uspilo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/635,549	08/10/2000	Yevgeniy Eugene Shteyn	US000209US	7153
08/200/2008 PHILIPS INTELECTUAL PROPERTY & STANDARDS P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510			EXAMINER	
			LIM, KRISNA	
			ART UNIT	PAPER NUMBER
			2153	
			MAIL DATE	DELIVERY MODE
			08/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 09/635,549 SHTEYN, YEVGENIY EUGENE Office Action Summary Examiner Art Unit Krisna Lim 2153 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 19 May 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-16 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) ____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner, Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some * c) ☐ None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/SB/08)
 Paper No(s)/fi.iall Date ______.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

5) Notice of Informal Patent Application

Application/Control Number: 09/635,549

Art Unit: 2153

- Claims 1-16 are still pending for examination.
- The disclosure is objected to because of the following informalities: the
 executable Internet link such as http:// should be deleted from the specification (e.g.,
 page 9, line 3, etc.). Appropriate correction is required.
- 3. The figure 3 of the drawings is objected to under 37 CFR 1.83(a) because they are fully described in the specification. Each box of the drawing should have a numeral number that is fully detail in the specification.

Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and

Art Unit: 2153

informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abevance.

- 4. The rejection of claims 1-16 under 35 U.S.C § 102(e) as being anticipated by Humpleman et al. [U.S. Patent No. 6,288,716] is respectfully maintained and incorporated by reference as set forth in the last office action.
- Applicant's arguments filed 5/19/08 have been fully considered but they are not deemed to be persuasive.
- 6. In the remarks, applicants argued in substance that:
- a) Humpleman fails to teach a consumer apparatus responsive to a user-input for initiating retrieval of data from a server based on a predetermined URL.
- b) Humpleman fails to teach a proxy device for representing an apparatus on a home network, wherein the proxy device is responsive to a user-input for initiating, via a gateway, retrieval of data from a remote server based on a predetermined URL.
- 7. In response to paragraphs 6 a) and 6 b) above, Examiner respectfully disagrees because Humpleman clearly discloses the consumer apparatus (home device, Figs. 1, 5, 14) having client devices 12 and server devices 14. A human user uses a browser in the client devices to communicate with the remote service application "S" in HTML, XML including HTTP server capabilities. Thus, it would have been obvious to one of ordinary skill in the art to recognize that the use of a predetermined URL is obvious in the user interface having a browser for communicating between the client devices and the server devices.

Application/Control Number: 09/635,549 Page 4

Art Unit: 2153

months and 0 (zero) days from the mail date of this letter. Failure to respond within the period for response will result in **ABANDONMENT** of the application (see 35 U.S.C 133, M.P.E.P 710.02, 710.02(b)).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krisna Lim whose telephone number is 571-272-3956. The examiner can normally be reached on Monday to Friday from 9:30 AM to 6:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenton Burgess, can be reached on 571-272-3949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

August 18, 2008

/Krisna Lim/ Primary Examiner, Art Unit 2153